


**INNOVA TIRE**





# ABOUT INNOVA

Innova Rubber Co., Ltd. was founded in 1995, headquarters in Changhua, Taiwan; factories at Taiwan and China, mainly producing bicycle tires; wheelchair tires; baby stroller tires and all kinds of leisure race tires such as ATV tires; golf cart tires; motocross tires and others.

The company aims to focus on the creation of innovation, the pursuit of quality and customer satisfaction.

Innova has an excellent R&D team and strong production bases in Taiwan and China. Our factories are all awarded ISO -9001 certification to ensure the production of the best tires/tubes and to deliver the best quality to the final consumers for the trust of customers.

Innova, pursuit of innovation is a never-ending effort, has developed a number of global patents including the new patterns, new tire structures, as well as new products.

We believe our constantly improvement in product quality and customer service will eventually make Innova become a household name synonymous with quality and value.

# INDEX



- 03 ATV
- 13 GO KART
- 15 OFF ROAD
- 18 SCOOTER
- 25 ELECTRIC
- 27 MOPED
- 28 STREET
- 33 GOLF CART
- 34 LAWN & GARDEN
- 37 INDUSTRIAL SERIES
- 39 AGRICULTURAL
- 40 UTILITY & IMPLEMENT
- 42 LIGHT TRUCK



# CONTENTS

03	LAND HAWK	09	RACER
04	MUD CAT	09	SPORT GEAR
04	HAWK GEAR	10	EAGLE GEAR
05	POWER GEAR	10	FREEDOM
05	RACE GAER	10	ADVANCE GEAR
06	SPEED GEAR	11	XTREME LITE
07	MUD GEAR	11	XTREME
08	KNOBBY GEAR	11	MOJAVE
08	LUG GEAR	12	SAND GEAR PLUS
		12	TERRNO

# ATV

## LAND HAWK

### ► IA-8007B

Tire size	Ply rating	Certificate
AT18x7.00-7	2PR	
AT19x7.00-8	2PR	E-MARK
AT21x7.00-10	2PR	E-MARK



## LAND HAWK

### ► IA-8007A

Tire size	Ply rating	Certificate
AT16x8.00-7	2PR	
AT18x9.50-8	2PR	E-MARK
AT21x10.00-8	4PR	E-MARK





## MUD CAT

▶ IA-8006

Tire size	Ply rating
AT145/70-6	2PR



## HAWK GEAR

▶ IA-8008

Tire size	Ply rating	Certificate
AT22x11.00-8	2PR	E-MARK
AT22x11.00-9	2PR	E-MARK



# POWER GEAR

## ➤ IA-8002

Tire size	Ply rating	Certificate
AT18x10.00-8	4PR	E-MARK
AT20x10.00-8	4PR	
AT20x11.00-8	4PR	E-MARK
AT22x11.00-8	4PR	E-MARK
AT22.5x10.00-8	4PR	E-MARK
AT20x10.00-9	4PR	E-MARK
AT20x11.00-9	4PR	E-MARK
AT22x11.00-9	4PR	E-MARK
AT25x12.00-9	4PR	E-MARK
AT20x11.00-10	4PR	E-MARK
AT22x10.00-10	4PR	E-MARK
AT22x11.00-10	4PR	E-MARK



# ENDURO TYPE

## ➤ IA-8002B

Tire size	Ply rating
AT20x11.00-9	4PR
AT22x11.00-9	4PR



# RACE GEAR

## ➤ IA-8043

Tire size	Ply rating	Certificate
AT21x7.00-10	4PR	E-MARK
AT21x7.00-10	4PR	E-MARK



## SPEED GEAR

### ► IA-8003

Tire size	Ply rating	Certificate
AT21x7.00-10	4PR	E-MARK
AT22x7.00-10	4PR	E-MARK
AT22x8.00-10	4PR	E-MARK
AT23x7.00-10	4PR	E-MARK





## MUD GEAR

### ► IA-8004

Tire size	Ply rating	Certificate
AT25x12.00-9	4PR / 6PR	E-MARK
AT22x9.50-10	4PR	E-MARK
AT24x11.00-10	4PR / 6PR	E-MARK
AT24x12.00-10	4PR / 6PR	E-MARK
AT25x11.00-10	4PR / 6PR	E-MARK
AT25x12.00-10	4PR / 6PR	E-MARK
AT23x8.00-11	4PR / 6PR	E-MARK
AT24x8.00-11	4PR / 6PR	E-MARK
AT24x9.00-11	4PR / 6PR	E-MARK
AT24x10.00-11	4PR / 6PR	E-MARK
AT25x8.00-11	4PR / 6PR	E-MARK
AT25x10.00-12	4PR / 6PR	E-MARK
AT25x11.00-12	6PR	E-MARK
AT25x12.5-12	6PR	E-MARK
AT26x8.00-12	6PR	E-MARK
AT26x9.00-12	6PR	E-MARK
AT26x10.00-12	6PR	E-MARK
AT26x12.00-12	6PR	E-MARK
AT27x9.00-12	6PR	E-MARK
AT27x10.00-12	6PR	E-MARK
AT27x12.00-12	6PR	E-MARK
AT28x10.00-12	6PR	E-MARK
AT28x12.00-12	6PR	E-MARK
AT26x9.00-14	6PR	E-MARK
AT26x11.00-14	6PR	E-MARK
AT27x10.00-14	6PR	E-MARK
AT27x12.00-14	6PR	E-MARK



## MUD GEAR

### ► IA-8004B

Tire size	Ply rating	Certificate
AT23x8.00-10	4PR / 6PR	E-MARK
AT23x10.00-10	4PR / 6PR	E-MARK



## KNOBBY GEAR

### ► IA-8009

Tire size	Ply rating	Certificate
AT145/70-6	2PR	E-MARK
AT16x8.00-7	2PR	E-MARK
AT22x11.00-8	4PR	E-MARK



## LUG GEAR

### ► IA-8023

Tire size	Ply rating	Certificate
AT26x10.00-12	6PR	E-MARK
AT26x12.00-12	6PR	E-MARK
AT27x10.00-12	6PR	E-MARK
AT27x12.00-12	6PR	E-MARK



## ON ROAD RACER

► IA-8022



Tire size	Ply rating	Certificate	Tire size	Ply rating	Certificate
180/80-8(19x7.00-8)	20N	E-MARK	225/40-10(18x10.00-10)	32N	E-MARK
240/55-8(18x9.50-8)	24N	E-MARK	225/45-10(18x9.00-10)	32N	E-MARK
255/65-8(21x10.00-8)	50N	E-MARK	255/60-10(22x10.00-10)	55N	E-MARK
215/50-9(20x10.00-9)	50N	E-MARK	285/65-10(24x11.00-10)	50N	E-MARK
255/55-9(20x11.00-9)	56N	E-MARK	175/70-12(22x7.00-12)	45N	E-MARK
255/65-9(22x10.00-9)	56N	E-MARK	185/88-12(25x8.00-12)	40N	E-MARK
165/70-10(18.5x6.50-10)	27N	E-MARK	205/75-12(24x8.00-12)	40N	E-MARK
175/70-10(21x7.00-10)	42N	E-MARK	255/50-12(22x10.00-12)	57N	E-MARK
180/60-10(19x7.00-10)	27N	E-MARK	270/60-12(25x10.00-12)	50N	E-MARK
185/80-10(22x7.00-10)	45N	E-MARK			

## SPORT GEAR

► IA-8024R



Tire size	Ply rating	Certificate
225/40-10(18x10.00-10)	4PR	E-MARK

## SPORT GEAR

► IA-8024



Tire size	Ply rating	Certificate
165/70-10(19x6.00-10)	4PR	E-MARK

**RADIAL**  
**EAGLE GEAR**

➤ IA-8035

Tire size	Ply rating	Certificate
AT26x10.00 R14	52N	E-MARK
AT26x12.00 R14	58N	E-MARK



**RADIAL**  
**FREEDOM**

➤ IA-8037

Tire size	Ply rating	Certificate
AT25x8.00 R12	43N	E-MARK
AT25x10.00 R12	50N	E-MARK



**ADVANCE GEAR**

➤ IA-8046

Tire size	Ply rating	Certificate
AT26x9.00-14	43N	E-MARK
AT26x11.00-14	50N	E-MARK



## RADIAL XTREME LITE

➤ IA-8044

Tire size	Ply rating	Certificate
AT25x8.00 R12	43N	E-MARK
AT25x10.00 R12	50N	E-MARK
AT26x8.00 R14	44N	E-MARK
AT26x10.00 R14	51N	E-MARK



## RADIAL XTREME

➤ IA-8040

Tire size	Ply rating	Certificate
AT25x8.00 R12	43N	E-MARK
AT25x10.00 R12	50N	E-MARK



## MOJAVE

➤ IA-8049

Tire size	Ply rating	Certificate
AT25x8.00 R12	68N	E-MARK
AT25x10.00 R12	74N	E-MARK
AT26x9.00 R14	73N	E-MARK
AT26x11.00 R14	78N	E-MARK



# SAND GEAR PLUS

➤ IA-8047

Tire size	Ply rating
AT28x12.00-14	2PR



➤ IA-8048

Tire size	Ply rating
28x15.00-14	2PR




# TERRNO

➤ IA-8050

Tire size	Ply rating	Certificate
28x10.00 R14	8PR	E-MARK
30x10.00 R14	8PR	E-MARK





➤ IA-2886V

Tire size	Ply rating
10x4.50-5	4PR
11x7.10-5	4PR

➤ IA-2886M

➤ IA-2886M

Tire size	Ply rating
10x4.50-5	4PR
11x7.10-5	4PR

➤ IA-2886C

➤ IA-2886C

Tire size	Ply rating
10x4.50-5	4PR
11x7.10-5	4PR

CONCESSION KART



► IA-2886

Tire size
8x3.00-4
4.10/3.50-4
9x3.50-4 (IA-2816)
10x4.50-5
11x3.60-5
11x7.10-5
11x7.10-5
13x4.00-6

► IA-2886S


Tire size
4.10/3.50-5

► IA-2886A

Tire size
10x4.50-5
11x6.00-5

► IA-2886W

Tire size
4.10/3.50-5



# CONTENTS

- 15 SUPER ENDURO
- 16 TOUGH GEAR
- 16 SUPER X'GEAR
- 17 TOP GEAR
- 17 SUPER CROSS COMPETITION



## SUPER ENDURO ➤ IA-3206

Tire size	Ply rating
120/90-18	65M
140/80-18	70M
100/90-19	57M
110/90-19	62M



## ➤ IA-3208

Tire size	Ply rating
80/100-21	51R



## ➤ IA-3210

Tire size	Ply rating
80/100-21	51R





**TOUGH GEAR**

➤ IA-3202

Tire size	Ply rating
2.75-12	42J
60/100-14	30M
70/100-17	40M
70/100-19	42M



➤ IA-3203

Tire size	Ply rating
2.50-10	33J(F+R)
2.75-10	38J
3.00-10	42J
2.50-12	42J(F+R)
80/100-12	50M
90/100-14	49M
90/100-16	51M



**SUPER X'GEAR**

➤ IA-3205

Tire size	Ply rating
110/100-18	64M
100/90-18	56M
120/100-18	68M
100/90-19	57M
110/90-19	62M
120/90-19	66M
110/80-19	59M
120/80-19	63M



➤ IA-3207

Tire size	Ply rating
80/100-21	51R
90/100-21	57M



**TOP GEAR**

▷ IA-3014

Tire size	Ply rating
100/100-18	60M
110/100-18	64M
120/100-18	68M
100/90-19	57M
110/90-19	62M
120/90-19	66M



▷ IA-3015

Tire size	Ply rating
80/100-21	51M



**SUPER CROSS  
COMPETITION**

▷ IA-3204

Tire size	Ply rating
110/100-18	64M
100/90-19	57M
110/90-19	62M
110/80-19	59M
120/80-19	63M



▷ IA-3209

Tire size	Ply rating
80/100-21	51M
90/100-21	57M





### ► IA-3000

Tire size	Ply rating	Certificate
3.00-10	42L	E-MARK
3.50-10	59P	E-MARK



### ► IA-3001

Tire size	Ply rating	Certificate
3.00-10	42L	E-MARK
3.50-10	59P	E-MARK



### ► IA-3002

Tire size	Ply rating	Certificate
3.50-10	59P	E-MARK



### ► IA-3003

Tire size	Ply rating
3.00-10	4PR / 6PR
3.50-10	4PR / 6PR
3.00-12	4PR / 6PR / 8PR



### ▶ IA-3004

Tire size	Ply rating
3.00-8	4PR



### ▶ IA-3005

Tire size	Ply rating
4.00-10	4PR
4.00-12	4PR
4.00-12	4PR



### ▶ IA-3006

Tire size	Ply rating	Certificate
130/60-13	51J	E-MARK



### ▶ IA-3007

Tire size	Ply rating
90/90-10	50J
100/90-10	56J
3.50-10	4PR / 6PR





## ► IA-3008

Tire size	Ply rating	Certificate
90/90-10	50L	E-MARK
100/90-10	56L	E-MARK
120/90-10	66L	E-MARK
130/90-10	70L	E-MARK
120/70-12	51P	E-MARK
110/90-13	56P	E-MARK
120/70-14	55L	E-MARK
2.50-10	33J	
2.75-10	38J/8PR	
3.00-10	42L	E-MARK
3.50-10	59P	E-MARK
2.50-12	39L	E-MARK



## ► IA-3009

Tire size	Ply rating	Certificate
100/80-10	52L	E-MARK
110/80-12	61P	E-MARK
120/70-10	48L	
130/70-12	56P	E-MARK
130/60-13	60P	E-MARK
140/60-13	57L	E-MARK
140/70-14	62L	E-MARK





► IA-3020

Tire size	Ply rating	Certificate
130/60-13	60P	E-MARK



► IA-3021

Tire size	Ply rating	Certificate
100/60-12	45J	E-MARK
100/80-12	4PR / 6 PR	



*SIDEWINDER*

► IA-3029

Tire size	Ply rating	Certificate
3.00-10	42J	
3.50-10	51J	
90/90-10	50J	
100/90-10	56J	
120/90-10	66P	E-MARK
130/90-10	70P	E-MARK
110/70-12	47P	E-MARK
120/70-12	51P	E-MARK
130/70-12	56P	E-MARK
90/90-12	54L	



# PHOENIX

## ► IA-3030

Tire size	Ply rating
3.50-10	4PR / 6PR
90/90-10	50J
100/90-10	56J
60/80-17	27S
70/80-17	35S
70/90-17	38P
80/80-17	41S
80/90-17	50P
90/80-17	46S



SCOOTER

# PEACOCK

## ► IA-3031

Tire size	Ply rating
80/90-14	40P
90/90-14	46P
80/90-17	44S / 49S



## ► IA-3032

Tire size	Ply rating
120/70-10	48L / 54L
130/60-10	43L / 54L



## ► IA-3033

Tire size	Ply rating
3.50-10	4PR
110/90-10	4PR
120/90-10	4PR





### ➤ IA-3034

Tire size	Ply rating
120/70-12	51L
130/70-12	56L



### ➤ IA-3035

Tire size	Ply rating
3.00-12	4PR
3.50-12	4PR / 8PR
3.75-12	4PR / 8PR
4.00-12	4PR
4.50-10	4PR



### ➤ IA-3050

Tire size	Ply rating	Certificate
3.00-8	38J	
2.75-8	31J	
90/90-10	50J	
100/90-10	56L	
110/90-10	61L	
3.00-10	42J / 8PR	
3.50-10	59P	E-MARK



### ➤ IA-3115

Tire size	Ply rating	Certificate
120/90-10	66L	E-MARK
130/90-10	70L	E-MARK





## ► IA-3116

Tire size	Ply rating	Certificate
90/90-10	50L	
120/70-12	51L	
130/70-12	56L	
130/60-13	60P	



## ► IA-3220

Tire size	Ply rating	Certificate
80/90-12	40PR	



## ► IA-3302

Tire size	Ply rating	Certificate
130/70-12	56L	
100/80-16	50S	E-MARK
110/80-16	55S	E-MARK
120/80-16	60S	E-MARK



## ► IA-5001

Tire size	Ply rating	Certificate
3.50-10	4PR / 6PR	E-MARK





► IA-2133

Tire size		Ply rating
14x2.5		4PR / 8PR
70/80-10		4PR



► IA-2232

Tire size		Ply rating
16x2.5	IA-2232N	4PR / 6PR / 8PR
16x3.0	IA-2232S	4PR / 6PR / 8PR



► IA-5001

Tire size		Ply rating
16x2.5		4PR
16x3.0		4PR





### ► IA-3027

Tire size	Ply rating
14x3.2 (3.00-10)	6PR
14x3.2 (3.00-10) IA-3027B	4PR / 8PR
14x3.5(3.50-10) IA-3027B	4PR / 6PR / 8PR



### ► IA-3110

Tire size	Ply rating
16x2.5	6PR / 8PR
16x3.0	4PR
3.00-10	4PR



### ► IA-5003

Tire size	Ply rating
14x3.2 (3.00-10)	4PR



MOPED



► IA-3103

Tire size	Ply rating
2 1/4-16	4PR
2 1/4-17	4PR
2.50-17	4PR



► IA-3120

Tire size	Ply rating
2 1/4-16	4PR





**STREET**

**► IA-3018**

Tire size	Ply rating
2.75-17	6PR
2.75-18	6PR
3.00-16	6PR
3.00-17	6PR
3.00-18	6PR
3.25-16	6PR
3.25-17	6PR
4.00-10	6PR
4.00-12	6PR
4.50-12	6PR
4.50-14	6PR
5.00-12	4PR



**► IA-3000**

Tire size	Ply rating
3.00-18	4PR
3.25-18	4PR



**► IA-3101**

Tire size	Ply rating
3.00-18	4PR



► **IA-3102**

Tire size	Ply rating
3.25-18	6PR
90/90-18	6PR
100/90-18	6PR



► **IA-3103**

Tire size	Ply rating
2.25-17	4PR
2.50-17	4PR
2.50-18	4PR
3.00-17	4PR
3.00-18	4PR
70/90-18	4PR



► **IA-3104**

Tire size	Ply rating
110/90-16	4PR
100/90-16	4PR



► **IA-3105**

Tire size	Ply rating
2.25-17	4PR
2.50-17	4PR
2.50-19	4PR
2.75-17	4PR
2.75-18	4PR
3.00-17	4PR
3.00-18	4PR
3.25-16	4PR



➤ **IA-3106**

Tire size	Ply rating
2.50-17	4PR
2.50-18	4PR
2.75-14	4PR
2.75-18	4PR
3.00-18	4PR
3.25-16	4PR
3.50-16	4PR



➤ **IA-3107**

Tire size	Ply rating
2.50-17	4PR
2.75-18	4PR



➤ **IA-3108**

Tire size	Ply rating
2.25-17	4PR
2.50-17	4PR
2.50-18	4PR
2.75-18	4PR
3.00-17	4PR
3.00-18	4PR



➤ **IA-3109**

Tire size	Ply rating
110/90-16	6PR
3.25-16	6PR



## ► IA-3110

Tire size	Ply rating
120/90-16	6PR



## ► IA-3113

Tire size	Ply rating
120/90-16	6PR
130/90-15	6PR
130/90-16	6PR



## ► IA-3119

Tire size	Ply rating
60/90-14	34P
70/90-14	40P
80/90-14	40P
90/90-14	46P





► **IA-3301**

Tire size	Ply rating
2.50-17	4PR
2.75-14	4PR
2.75-17	4PR
2.75-18	4PR
3.00-17	4PR
3.00-18	4PR
3.50-8	4PR



**STREET**



## GREENER

### ➤ IA-8011

Tire size	Ply rating
18x8.50-8	4PR / 6PR



## FRONTIER

### ➤ IA-8036

Tire size	Ply rating
18x8.50-8	4PR / 6PR



Tire size	Ply rating
215/60-8(18.5x8.5-8)	4PR / 6PR
165/65-8(16.5x6.5-8)	4PR / 6PR
205/50-10	4PR
205/65-10(20.5x8-10)	4 / 6 / 8 / 10 / 12PR
215/50-10	4PR
215/35-12	4PR
215/50-12	4PR
220/35-12	4PR
225/55 B12	6PR
205/40 R14	4PR
205/35 R15	4PR

## DRIVER

### ➤ IA-8018





## CONTENTS

- 35** TURF GEAR
- 35** SPIN GEAR
- 35** CAYMAN AT
- 36** CAYMAN LS
- 36** CAYMAN TURF

### ► IA-2802

Tire size	Ply rating
13x5.00-6	4PR
13x6.50-6	4PR
15x6.00-6	4PR
16x6.50-8	4PR



### ► IA-2827

Tire size	Ply rating
13x5.00-6	2PR



### ► IA-2886

Tire size	Ply rating
16.5x6.5-8	
18x9.50-8	2PR / 4PR
19x10.50-8	2PR / 4PR
20x10-10	4PR
20x10.5-10	2PR



**TURF GEAR**

➤ **IA-2887**

Tire size	Ply rating
13x5.00-6	2PR / 4PR
13x6.50-6	2PR / 4PR
14x6.50-8	2PR / 4PR
15x6.00-6	2PR / 4PR / 6PR
16x6.50-8	2PR / 4PR / 6PR
18x8.50-8	2PR / 4PR / 6PR



**SPIN GEAR**

➤ **IA-2892**

Tire size	Ply rating
9x3.50-4	2PR / 4PR



**CAYMAN AT**

➤ **IA-8028**

Tire size	Ply rating
22.5x10.00-8	4PR
25x13.00-9	4PR
22x9.50-10	4PR
22x11.00-10	4PR
24x9.50-10	4PR
24x10.50-10	4PR
23x10.50-12	4PR
23x10-14	4PR
23x10.5R15	4PR



## CAYMAN LS

➤ IA-8029

Tire size	Ply rating
20x8.50-8	4PR
20x10.00-8	4PR



## CAYMAN TURF

➤ IA-8030

Tire size	Ply rating
22.5x10.00-8	4PR
25x12.00-9	4PR
22x9.50-10	4PR
24x12.00-10	4PR



➤ IA-8031

Tire size	Ply rating
13x6.50-6	2PR / 4PR
15x6.00-6	2PR / 4PR
20x10.00-8	2PR / 4PR
20x10.00-10	2PR / 4PR
23x8.50-12	4PR / 6PR
23x10.50-12	4PR / 6PR
24x12-12	4PR / 6PR
26x12-12	4PR / 6PR



# INDUSTRIAL SERIES



## TUFF GEAR FORKLIFT

### > IA-7001

Tire size	Ply rating
5.00-8	8PR
6.00-9	10PR / 12PR
6.50-10	10PR / 12PR
7.00-12	12PR
28X9.00-15	12PR / 14PR



## ST TRAILER

### > IA-7002

Tire size	Ply rating
ST175/80 D13	4PR / 6PR / 8PR
ST185/80 D13	4PR / 6PR / 8PR
ST205/75 D14	4PR / 6PR / 8PR
ST205/75 D15	6PR / 8PR
ST215/75 D14	6PR / 8PR
ST225/75 D15	6PR / 8PR



# AGRICULTURAL



## ➤ IA-2812

Tire size	Ply rating
3.50-6	2PR
3.50-7	2PR



## ➤ IA-7008

Tire size	Ply rating
5.00-15	6PR
6.50/80-15	6PR



## ➤ IA-2899

Tire size	Ply rating
4.10-6	4PR





# UTILITY & IMPLEMENT



## ➤ IA-2614

Tire size	Ply rating
3.00-4	2PR / 4PR



## ➤ IA-2800

Tire size	Ply rating
4.10 / 3.50-4	2PR / 4PR



## ➤ IA-2802

Tire size	Ply rating
2.50-3	2PR / 4PR
2.80/2.50-4	2PR / 4PR
3.00-4	2PR / 4PR
3.50-8	2PR / 4PR



➤ IA-2804

Tire size	Ply rating
3.00-4 (IA-2084N)	2PR / 4PR
3.00-8	2PR / 4PR
4.00-5	4PR
4.10/3.50-4	2PR / 4PR
4.10/3.50-5	2PR / 4PR
4.10/3.50-6	2PR / 4PR



➤ IA-2805

Tire size	Ply rating
3.00-4 (IA-2805N)	2PR / 4PR
3.00-8	2PR / 4PR



➤ IA-2813

Tire size	Ply rating
2.50-4	4PR
3.00-5	2PR / 4PR



➤ IA-2817

Tire size	Ply rating
2.80/2.50	2PR / 4PR
3.00-4	2PR / 4PR



**CONTENTS**

- 42 ULTRA RUNNER
- 44 ENDURO RUNNER
- 44 ULTRA GEAR



**LIGHT TRUCK**



Tire size	Ply rating
4.80-8	4PR / 6PR
5.70-8	4PR / 6PR / 8PR
4.80-12	4PR / 6PR
5.00-12	6PR
5.30-12	4PR / 6PR / 8PR
6.00-13	8PR
6.00-14	8PR
7.50-14	8PR
6.00-15	10PR
6.50-15	10PR
7.00-15	4 / 6 / 8 / 10 / 12PR
6.50-16	10PR
7.00-16	12PR
7.50-16	10PR / 12PR / 14PR
8.25-16	14PR

**ULTRA RUNNER**

➤ IA-7003



➤ **IA-2802**

Tire size	Ply rating
7.60-15	8PR



➤ **IA-7005**

Tire size	Ply rating
7.50-16	14PR



➤ **IA-7006**

Tire size	Ply rating
6.00-13	10PR
6.00-14	10PR
6.50-16	12PR
7.00-16	12PR
7.50-16	14PR
8.25-16	14PR



➤ **IA-7007**

Tire size	Ply rating
6.50-14	8PR



➤ **IA-7009**

Tire size	Ply rating
7.50-15	14PR
7.50-16	14PR



**ENDURO RUNNER**

➤ **IA-7010**

Tire size	Ply rating
6.50-16	10PR



**ULTRA GEAR**

➤ **IA-7011**

Tire size	Ply rating
6.50-16	10PR



**LIGHT TRUCK**


M E M O



Handwriting practice lines consisting of 18 rows of dotted lines with decorative arrowheads at the ends. The first row is partially obscured by the 'MEMO' graphic.



# MEMO



..... ❖

❖ ..... ❖

..... ❖

❖ ..... ❖

..... ❖

❖ ..... ❖

..... ❖

❖ ..... ❖

..... ❖

❖ ..... ❖

..... ❖

❖ ..... ❖

..... ❖

❖ ..... ❖

..... ❖

❖ ..... ❖

..... ❖



..... ❖

..... ❖

..... ❖

..... ❖

..... ❖



### ■ Head Office

No.23,Jingcheng Rd.,Changhua 50067,Taiwan  
Tel:886-4-7521037 Fax:886-4-7521062  
E-mail:innova@innovatires.com.tw

### ■ Pinghu Office

No 1668,Xingping 2'nd Rd.,Pinghu City,  
314200 Zhejiang China  
Tel:86-573-85626666 Fax:86-573-85025423

### ■ Bengbu Factory

Weiwu Rd.Guzhen Economic Development Zone,  
233705 Bengbu,AnHui China  
Tel:86-552-2121388 Fax:86-552-2121399

<http://www.innovatires.com>