INNOVA-PRO



BICYCLE TIRE



ABOUT INNOVA

Innova Rubber Co., Ltd. was founded in 1995, headquarters in Changhua, Taiwan; factories at Taiwan and China, mainly producing bicycle tires; wheelchair tires; baby stroller tires and all kinds of leisure race tires such as ATV tires; golf cart tires; motocross tires and others.

The company aims to focus on the creation of innovation ,thepursuit of quality and customer satisfaction.

Innova has an excellent R&D team and strong production bases in Taiwan and China Our factories are all awarded ISO-9001 certification to ensure the production of the best tires/tubes and to deliver the best quality to the final consumers for the trust of customers.

Innova, pursuit of innovation is a never-ending effort, has developed a number of global patents including the new patterns, new tire structures, as well as new products.

We believe our constantly improvement in product quality and customer service will eventually make Innova become a household name synonymous with quality and value.







ROAD 700C TLR / GLIDE P05 =////// 700C TLR / DASH P06 ZOOM TECH / CASTOR ZOOM TECH / FACEMILE 700C / **NUNKI** P09 700C / HADAR P10

E-CARGO E-CARGO / MULA P12 =//////

E-MTB / MTB	0
E-MTB / LOAM WIZARD	P14
E-MTB / Javelin	P15
E-MTB / PODIUM	P16
MTB / BUTTE	P17
MTB / X BOBCAT	P18
MTB / X MUSTANG	P19
ULTRA LIGHT / X BOBCAT	P20
MTB-DH / SCHIST	P21

GRAVEL

GRAVEL / BOOTLEGGER	P23 =///3
E-GRAVEL / EL CAMINO II	P24
GRAVEL / STAMPEDE	P25
GRAVEL / EL CAMINO	P26

CITY / TREKKING / TOUR

P28 =////////

P29 =//////

P30 =//////

P31

P32

P33

P34

RMX

		•	
ВМХ	/	J-BOX	P42
вмх	/	THE BIG SLICK(TBS)	P42
вмх	/	WHIPLSAS	P42
вмх	/	TAILWHIP	P42
вмх	/	MIMOSA	P42



PILIS / FAT

CITY / ROADRUNNER

E-CITY / WANDERER

E-CITY / MAKARORA

E-CITY / WANDERLUST

E-CITY / OUTPOST

E-CITY / ATRIA

E-CITY / ALTA

. 200 / 1711	
FAT 4.0 & 4.8 / GOSSAN	P35
FAT 4.0 & PLUS3.0 / GNEISS	P36
PLUS 2.6 & 2.8 / PODIUM	P37
PILIS 2 8 & 3 O / TRANSFORMERS	P38









SNOW / DH MONSTER

SNOW	/	ICE TRACKER II	P40
SNOW	/	WIN RIDER	P40
SNOW	/	WIN RIDER II	P40

P40



ANTI PUNCTURE

Innova protection system for puncture & cut proof













CLASS



TUBELESS READY tires can be used as regular tire with tube inside but also can be used as tubeless tire by adding sealant inside. Tubeless ready has similar function as UST tire but owns double functions of excellent puncture resistance and lighterweight for superior rolling as well as handling performance. Adding sealant is necessary.



TEAM is the most high end tires that Innova pro produces for competition. The feature of Team is designed by using 120 tpi casing with foldable Kevlar bead for most light weight and special tread compound gives highest performance tires.



RACE tires is these excellent tire that Innova pro design for Race and final training for competition. By using 60 tpi casing with foldable Kevlar bead, this class owns the features of light weight and powerful performance.



STANDARD tires is most economic tire with the rigid bead and 60tpi casing. It shows very even distribution of stress after inflation and gives pretty good uniformity as well as good tire life.



SNAKE BITE

The function of Anti Snake Bite is designed by adding strongest fillers in the bead area to prevent the snake bite. The weight is added but perfectly suitable for those Down Hill tires requesting to free from snake bite.

CASING & BEAD



Nylon 66 fabric with 60 threads per inch(tpi) which is designed for the RACE and TRAINING version.



Nylon 66 fabric with 120 threads per inch(tpi) which is designed for the TEAM version.



Nylon 66 fabric with 180 threads per inch(tpi) which is designed for the TEAM version.



Innova uses DuPont™ Kevlar® yarn as the material of bead grommet. This high quality material provides the most light weight foldable tire for team and race class.

GLIDE

TLR TUBELESS READY

TLR 60 TUBELESS READY

TLR 120 TUBELESS READY

TEAM



IB-3029N

									TOLDING
CLASS	SIZE	ETRTO	CASING	WEIGHT	HOOKLESS(PSI)	HOOKLESS(BAR)	HOOKED(PSI)	HOOKED(BAR)	PART NO.
RACE+TLR	700x25C	25-622	60TPI	ТВА	Max.72	Max.5.0	70-110	4.8-7.5	RO7002501
	700x28C	28-622	60TPI	ТВА	Max.72	Max.5.0	69-95	4.7-6.5	RO7002801 =
	700x30C	30-622	60TPI	ТВА	Max.65	Max.4.5	55-80	3.8-5.5	RO7003001 =///
	700x25C	25-622	120TPI	TBA	Max.72	Max.5.0	70-110	4.8-7.5	RO7002502 =
TEAM+TLR	700x28C	28-622	120TPI	ТВА	Max.72	Max.5.0	69-95	4.7-6.5	RO7002802 =
	700x30C	30-622	120TPI	TBA	Max.65	Max.4.5	55-80	3.8-5.5	RO7003002 =///
TEAM	700x25C	25-622	120TPI	ТВА	Max.72	Max.5.0	90-110	4.8-7.5	RO7002503 =
	700x28C	28-622	120TPI	ТВА	Max.72	Max.5.0	85-100	4.7-6.5	RO7002803 =
	700x30C	30-622	120TPI	TBA	Max.65	Max.4.5	80-95	3.8-5.5	RO7003003 = //////

DASH

700x30C the wider road tire provides more comfort riding and lowerrolling resistance. The unique antled-cut tread works like a file, giving you excellent grip while keeping a fast and confidence surfaces. With slick center design, the smoother the faster.

TUBELESS READY

TLR 60 TUBELESS READY

TLR 120 TUBELESS READY





IB-30	15N
-------	-----

_								
	CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
RACE+TLR		700x25C	25-622	60TPI	TBA	70-110	5.0-7.0	DA7002501
	ACE+TLR	700x28C	28-622	60TPI	TBA	69-95	4.8-6.6	DA7002801 =
		700x30C	30-622	60TPI	370	55-80	3.8-5.5	DA7003001 =
· ·		700x25C	25-622	120TPI	TBA	70-110	5.0-7.0	DA7002502
TEAN	EAM+TLR	700x28C	28-622	120TPI	TBA	69-95	4.8-6.6	DA7002802 =
		700x30C	30-622	120TPI	340	55-80	3.8-5.5	DA7003002 =

FOLDING



Low Rolling Resistance / Light Weight / Supple Riding / Faster Acceleration

- **Z:** Zero degree nylon' belt is added under the tread to provide a super low rolling resistance.
- **O:** Open tire profile to provide extremely high ride comfort.
- O: Overlap dual new compounds to obtain best perfor mances of grip and life.
- M: Mono-chafer: new chafer material helps to have the best adhesion and anti-leaking

Grip	****
Rolling Resistance	****
Acceleration	****
Comfort	****
Cornering	****

700 23C 700 25C 700 27C

- Super high quality tire that developed by the technology of "ZOOM" intending to compete with Tubular tire in competition.
- Made of 120Tpi casing with those following sizes of 23C/25C/27C.
- The air pressure can go up to 145 Psi.



						OLDING
SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
700x23C	23-622	120TPI	215	85-145	6.0-10.0	CA7002301
700x25C	25-622	120TPI	225	85-135	6.0-9.3	CA7002501
700x27C	27-622	120TPI	250	85-115	6.0-8.0	CA7002701



H-2322						-OLDING
SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
700x23C	23-622	120TPI	215	85-145	6.0-10.0	FA7002301
700x25C	25-622	120TPI	225	85-135	6.0-9.3	FA7002501
700x27C	27-622	120TPI	250	85-115	6.0-8.0	FA7002701



ROAD





	IA-231	8						FOLDING	
	CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	
		700x23C	23-622	120TPI	190	85-145	6.0-10.0	NU7002301	•
TEAM	700x25C	25-622	120TPI	200	85-130	6.0-9.0	NU7002501		
		700x28C	28-622	120TPI	235	85-110	6.0-8.0	NU7002801	
		700x23C	23-622	60TPI	210	85-145	6.0-10.0	NU7002302	
	RACE	700x25C	25-622	60TPI	220	85-130	6.0-9.0	NU7002502	

255

60TPI


700x28C 28-622

85-110 6.0-8.0 NU7002802 =



CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	_
	700x23C	23-622	120TPI	190	85-145	6.0-10.0	HA7002301	
TEAM	700x25C	25-622	120TPI	215	85-130	6.0-9.0	HA7002501	-
	700x28C	28-622	120TPI	240	85-110	6.0-8.0	HA7002801	7
	700x23C	23-622	60TPI	215	85-145	6.0-10.0	HA7002302	7
RACE	700x25C	25-622	60TPI	235	85-130	6.0-9.0	HA7002502	-
	700x28C	28-622	60TPI	260	85-110	6.0-8.0	HA7002802	-







IB-3027 RIGID SIZE **ETRTO** CASING WEIGHT PSI BAR PART NO. 20x2.40 62-406 60TPI 1.7-3.5 E50M20241 60TPI 1.7-3.5 E50M24241 24x2.40 1235 26x2.40 62-559 60TPI 1.7-3.5 E50M26241 27.5x2.40 60TPI 1420 25-50 1.7-3.5 E50M27524

MULA

Mula is our newest Cargo specific bike tire. The casing structure and rubber compound is designed specifically for loaded towing. Specific inserts are used to prevent puncture and increase durability. The tread design utilize a continous center block ribbed section and a diamond shapped side knobs to allow for secure cornering and towing capability.

INTENDED SURFACE

Bike path, sidewalks, unpaved path and gravel.





E-CARGO



LOAM WIZARD

Designed for All Mountain and Enduro riding. On the uphill, the large center block provides improved climbing traction, and quick acceleration. The links between the center block makes the pattern block more stable under load and reduce squirming. The directional design on the tread allows for significant reductions in tire rolling resistance. The combination of aggressive arrangement of the blocks, open design and a simple V-slot located in the center and side blocks translate to direct and precise steering. It allow for a high efficient transfer of power to the ground while maintaining extreme durability.



TLR 60 TUBELESS READY



With Reflective Stripe /
Sport Guard-3.5mm+ Side Guard

IB-3021

								FOLDING
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	TAN SPEC.
RACE+TLR	29x2.35	60-622	60TPI	820	25-50	1.7-3.5	LW2923501	LW2923501T
E BIKE-50+TLR	29x2.35	60-622	60TPI	1025	25-50	1.7-3.5	E50L29235	E50L29235T

E-BIKE
TUBELESS
READY

TEAM

STANDARD

FOLDING

JAVELIN

Designed as a leading off-road road conditions and ultra-endurance tires. The unwavering traction of the shoulder knobs, and the super handling when going downhill. This is the preferred tyre for our entire endurance team of endurance racers due to its unmatched traction on off-camber trails. The interspersed central pattern blocks can bite into the dirt in any wet or dry terrain while providing stability at any speed. The block are arranged in a way to ensure effective mud clearance. It can also be used as a rear tire on loose, steep terrain for its strong braking traction. It can also be used as a front tire for its cornering capability.

TLR 60 TUBELESS READY



With Reflective Stripe /
Sport Guard-3.5mm+ Side Guard



IB-3022								FOLDING
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	TAN SPEC.
RACE+TLR	29x2.35	60-622	60TPI	820	25-50	1.7-3.5	JA2923501	JA2923501T
F BIKE-50+TLR	29x2.35	60-622	60TPI	1030	25-50	1.7-3.5	F50J29235	F50J29235T

PODIUM

27.5x2.6 PODIUM For fast E-bikes, Innova has designed the special tire construction and compound. The premium compound offers the dependability of excellent grip & high mileages and the construction of Sport Guard 3.5mm & Side Guard provides the superior puncture protection. It was certified with ECE-R75 and approved for vehicles, up to 50 km/h. An all terrain pattern design with the tubeless ready construction. Aggressive outlook plus the design of small lines insert into each knob give the tire powerful performances in riding.

RACE

TLR 60
TUBELESS READY



With Reflective Stripe /
Sport Guard-3.5mm+ Side Guard



В-	30	14	1 N	J
D -	-		TI'	N .

							LOLDING	
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	
E BIKE-50+TLR	27.5x2.60	66-584	60TPI	1345	20-45	1.4-3.1	PO2752601	
RACE+TLR	27.5x2.60	66-584	60TPI	860	20-45	1.4-3.1	E50P27526 =	- ///
	26x2.25	58-559	60TPI	745	25-55	1.7-3.8	PO2622501	
RACE	27.5x2.25	58-584	60TPI	770	25-55	1.7-3.8	PO2752251	
NACE	29x2.25	58-622	60TPI	820	25-55	1.7-3.8	PO2922501	
	29x2.40	60-622	60TPI	850	25-50	1.7-3.5	PO2924001	

BUTTE

Pattern Design with separater knobs is good for mud performance. Tire is foldable and easy to carry. Suitable for use on road or hard soil territory.

TLR 60 TUBELESS READY





	\sim	\sim	4

								FOLDING
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	TAN SPEC.
RACE +	27.5x2.25	58-584	60TPI	610	25-55	1.7-3.8	BU2752251	BU2752251T
TĹR	29x2.25	58-622	60TPI	650	25-55	1.7-3.8	BU2922501	BU2922501T

X BOBCAT

The tread pattern is designed for multiple soil conditions. Low tread profile and high TPI casing give fast rolling and efficient.

RACE

TLR 60 TUBELESS READY



IB-2003

							FOLDING
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
	26x2.10	52-559	60TPI	520	30-55	2.1-3.8	XB2621001
RACE	27.5x2.10	54-584	60TPI	540	30-55	2.1-3.8	XB2752101
	29x2.10	54-622	60TPI	590	30-55	2.1-3.8	XB2921001
RACE	27.5x2.10	54-584	60TPI	550	30-55	2.1-3.8	XB2752102
TLR	29x2.10	54-622	60TPI	600	30-55	2.1-3.8	XB2921002



X MUSTANG

Light-weight tread design allow maximum rolling efficiency. Suitable for road and hard terrian with few sand and samll rocks.

RACE



IB-2002							FOLDING
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
RACE	26x2.0	50-559	60TPI	490	35-65	2.4-4.5	XM2621001
NACL	27.5x2.10	54-584	60TPI	535	30-55	2.1-3.8	XM2752101

MTB ULTRA LIGHT

X BOBCAT

The tread pattern is designed for multiple soil conditions. Low tread profile and high TPI casing give fast rolling and efficient. Ultra light weight and foldable tire is easily to carry.

TEAM ULTRA LIGHT



IB-2003L							FOLDING
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO
	26x1.95	44-559	120TPI	315	30-60	2.1-4.1	XBL26195
TEAM +	27.5x1.95	44-584	120TPI	320	35-65	2.4-4.5	XBL27519
ULTRA LIGHT	29x1.95	44-622	120TPI	355	35-65	2.4-4.5	XBL29195
	29x2.10	54-622	120TPI	425	35-65	2.4-4.5	XBL29210



SCHIST

The tread pattern is designed for multiple soil conditions. Low tread profile and high TPI casing give fast rolling and efficient.





IB-3004						FOLDING
SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
26x2.50	62-559	60TPI	990	25-50	1.7-3.5	SH2625001
27.5x2.50	62-584	60TPI	1030	25-50	1.7-3.5	SH2752501
29x2.40	60-622	60TPI	1099	25-50	1.7-3.5	SH2924001

★ With Snake Bite & Side Guard





BOOTLEGGER

Bootlegger incorporate a semi slick concept to allow for fast rolling on pavement while maintaining grip when the trail get loose. It's best suited mixed terrain.

RACE



IB-302	8						FOLDING	
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	
RACE	29x1.75	45-622	60TPI	555	30-55	2.1-3.8	BO2917501	=///

EL CAMINO II

The smooth tread center can roll very quickly on paved road. The diamond shaped intermediate transition tread make sure this tire won't be stopped by any rough roads and long detours.

It allow for strong confidence in any road condition, providing a smooth riding experience, and maintaining good handling on unpredictable terrain with the square pattern of the tread shoulder. Suitable for riders who want to relax themselves without a destination , just for the pleasure of riding.



RACE



With Reflective Stripe / Sport Guard-3.5mm



5 E-50

With Reflective Stripe / Sport Guard-3.5mm+ Side Guard

CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	TAN SPEC.
RACE	700x38C	38-622	60TPI	450	35-65	2.4-4.5	EC7003801	EC7003801T
E BIKE-50+TLR	700x38C	38-622	60TPI	730	35-65	2.4-4.5	E50E70038	E50E70038T
								RIGID
E BIKE-25	700x38C	38-622	33TPI	780	35-65	2.4-4.5	E25070038	E25070038T



FOLDING

STAMPEDE

Gravel Tire but also works well for road condiction due to the high density knobs parrent design. Shoulder design with more convex knobs enhanced the grip for better turning performance and safety. Tire is foldable and easy to carry. Suitable for use on road or hard soil territory.

RACE



IB-3010							FOLDING
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
	26x1.50	40-559	60TPI	390	35-65	2.4-4.5	ST2615001 -
DAGE	700x40C	40-622	60TPI	445	35-65	2.4-4.5	ST7004001
RACE	700x45C	45-622	60TPI	465	30-55	2.1-3.8	ST7004501 =////
	700x50C	60-622	60TPI	495	30-55	2 1-3 8	ST7005001 =7777

EL CAMINO

For a gravel tire, you want a tire that is able to cover riding on variety of different surfaces and conditions. The tire should provide grip while rolling smoothly. This is exactly what the tire is able to do. You will find it to perform well on paved roads but it really shine on unpaved roads and gravel. Riding on dry conditions light trails is also a lot of fun. For slightly more muddy conditions the aggressive side knobs maintain the traction effectively. The smooth ride and good grip let you enjoy every meter of your commutes and rides.



RACE

IB-3016								FOLDING
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	TAN SPEC.
	26x1.75	47-559	60TPI	435	30-55	2.1-3.8	EC2617501	EC2617501T =////
RACE	700x45C(29x1.75)	45-622	60TPI	570	30-55	2.1-3.8	EC7004501	EC7004501T =
	650Bx47C	47-584	60TPI	530	30-55	2.1-3.8	EC6504701	EC6504701T







E-BIKE

RACE

CITY / TREKKING / TOURING



ROADRUNNER

TRoadrunner is our newest Trekking / Touring specific tire. The unique tire tread incorporate directional siping to improve traction in the wet. We also added honeycomb sidewall pattern increase abrasion resistence.





B-3023	FOLDING

CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	
RACE	26x1.75	47-559	60	ТВА	35-65	2.4-4.5	RO2617501 🖘	NEW
RACE	700x45C	45-622	60	TBA	35-65	2.4-4.5	RO7004501 🤜	NEW



ALTA WEW

The fastest touring / ebike tire Innova has made to date. This tire has the lowest rolling resistance of all touring tires. We used a new type rubber compound and casing construction to improve on the mileage of ebikes. This is culmination of our years of experiece in touring / ebike tire design, which lead to a true workhorse in this category.





With Reflective Stripe / Sport Guard-3.5mm



With Reflective Stripe /
Sport Guard-3.5mm+ Side Guard

IB-3025	B-3025								
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.		
RACE	29x1.75	45-622	60ТРІ	615	35-65	2.4-4.5	AL2917501 =		
E BIKE-50	29x1.75	45-622	60ТРІ	730	35-65	2.4-4.5	E50A29175 —		
							RIGID		
E BIKE-25	29x1.75	45-622	ЗЗТРІ	1060	35-65	2.4-4.5	E25A29175 =		

WANDERER

Wanderer is a modern dynamic touring tire. The center tread is smooth and side knobdesigned for nimble handlng. The tread allow for fast rolling on pavement, while maintain superior traction on unpaved path. New high tech compound is used to optimize this tire to have superior durability at high speed and low rolling resistence.



With Reflective Stripe / Sport Guard-3.5mm



With Reflective Stripe /
Sport Guard-3.5mm+ Side Guard



IB-3026	IB-3026								
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.		
RACE	29x2.15	55-622	60TPI	695	30-60	2.0-4.1	WA2921501 -		
E BIKE-50	29x2.15	55-622	60TPI	760	30-60	2.0-4.1	E50W29215		
							RIGID		

E BIKE-25 29x2.15 55-622

29

2.0-4.1 E25W29215 **→**



S E-BIKE

CITY / TREKKING / TOURING

EOI DING

The continuous straight tread pattern in the center allows for a lower rolling resistance for charging down the straights, while a bi-textured surface designs on the sides treads are used to improve the handling in cornering. Built for the mixed pavement and light gravel.





With Reflective Stripe / Sport Guard-3.5mm



With Reflective Stripe /
Sport Guard-3,5mm+ Side Guard

ASCIPE OUTPOST

IB-3019	FOLDING
IB-3019	FOLDING

CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	TAN SPEC.
'	700x35C	35-622	60TPI	390	55-80	3.8-5.5	OU7003501	OU7003501T
RACE	700x38C	38-622	60TPI	430	50-75	3.5-5.0	OU7003801	OU7003801T
NACE	26x2.0	50-559	60TPI	580	35-65	2.4-4.5	OU2620001	OU2620001T
	27.5x2.10	54-584	60TPI	625	30-60	2.1-4.1	OU7003801	OU7003801T
E BIKE-50	700x38C	38-622	60TPI	TBA	50-75	3.5-5.0	E50070038	E50070038T
L DIKL-30	27.5x2.10	54-584	60TPI	970	30-60	2.1-4.1	E50O27521	E50O27521T
								RIGID
E BIKE-25	700x38C	38-622	33TPI	830	50-75	3.5-5.0	E25070038	E25O70038T
L DIRL-23	27.5x2.10	54-584	33TPI	870	30-60	2.1-4.1	E25O27521	E25027521T

MAKARORA

Featuring an ultra-dynamic large bevel profile with a smooth center section and a sturdy diamond side tread. Even on unpaved gravel road, it can roll easily on the road and have maintain strong grip. The specially optimized design provides maximum durability, low rolling resistance and excellent gripeven at high speeds.





With Reflective Stripe / Sport Guard-3.5mm



With Reflective Stripe /
Sport Guard-3.5mm+ Side Guard



IB-3020	
---------	--

								FOLDING
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	TAN SPEC.
RACE	700x42C	42-622	60TPI	460	50-75	3.5-5.0	MA7004201	MA7004201T
E BIKE-50	700x42C	42-622	60TPI	TBA	50-75	3.5-5.0	E50M70042	E50M70042T
								RIGID
E BIKE-25	700x42C	42-622	33TPI	895	50-75	3.5-5.0	E25M70042	E25M70042T

ATRIA

TEAM

RACE



With Reflective Stripe / Sport Guard-3.5mm



1A-2302							FOLDING
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
TEAM	26x2.0	50-559	120TPI	405	35-65	2.4-4.5	AT2620001
	26x2.0	50-559	60TPI	440	35-65	2.4-4.5	AT2620002
	27.5x2.0	50-584	60TPI	495	35-65	2.4-4.5	AT2752001
RACE	700x32C	32-622	60TPI	365	60-90	4.1-6.2	AT7003201
NACL	700x35C	37-622	60TPI	390	55-85	3.8-6.0	AT7003501
	700x38C	40-622	60TPI	440	50-80	3.5-5.5	AT7003801 -
	700x44C	44-622	60TPI	480	45-80	3.1-5.5	AT7004401 =

							RIGID	ĺ
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	
E BIKE-25	700x38C	40-622	33TPI	TBA	50-80	3.5-5.5	E25A700381	= NEW
E DINE-25	700x44C	44-622	33TPI	TRΔ	45-80	3 1-5 5	F25A700441	=NEW

WANDERLUST

TEAM

RACE



With Reflective Stripe / Sport Guard-3.5mm+ Side Guard



With Reflective Stripe / Sport Guard-3.5mm



IB-3013

	IB-3013								FOLDING	
	CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	TAN SPEC.	
•		26x1.75	47-559	120TPI	400	35-65	2.4-4.5	WA2617501	WA2617501T	
	TEAM	27.5x1.75	47-584	120TPI	425	35-65	2.4-4.5	WA2751751	WA2751751T	
_		29x1.75	47-622	120TPI	445	35-65	2.4-4.5	WA2917501	WA2917501T	=[NEW]
	RACE	700x38C	38-622	60TPI	425	50-75	3.5-5.0	WA7003801	WA7003801T	
_	E BIKE-50	700x38C	38-622	60TPI	TBA	50-75	3.5-5.0	E50W70038	E50W70038T	
									RIGID	
_	E BIKE-25	700x38C	38-622	33TPI	860	50-75	3.5-5.0	E25W70038	E25W70038T	

CITY / TREKKING / TOURING



FAT 4.0/4.8

GOSSAN

The new particle pattern design is with great center pieces and low knobbles. It is good for both on road and off road condiction. Very good grip for off road and very stable for turning.

RACE

FAT 4.0

FAT 4.8



LV-1008						FOLDING
CLASS	SIZE	CASING	WEIGHT	PSI	BAR	PART NO.
RACE	26x4.0	60TPI	1065	5-15	0.4-1.1	GO2640001
NACE	26x4.8	60TPI	1305	MAX30	2.1	G02648001

GNEISS

Dense central knobs to get an excellent performance of easy rolling and comfort ride; the tread shoulder area is designed with loose knobs to earn great traction in cornering as well as steady handling.

PLUS 3.0

FAT 4.0



LV-1003						FOLDING
CLASS	SIZE	CASING	WEIGHT	PSI	BAR	PART NO.
TEAM	27.5x3.0	120TPI	865	15-30	1.1-2.1	GN2753001
RACE	26x4.0	60TPI	1255	5-15	0.4-1.1	GN2640001

PODIUM

The premium compound offers the dependability of excellent grip & high mileages and the construction of Sport Guard 3.5mm & Side Guard provides the superior puncture protection. It was certified with ECE-R75 and approved for vehicles, up to 50 km/h. An all terrain pattern design with the tubeless ready construction. Aggressive outlook plus the design of small lines insert into each knob give the tire powerful performances in riding.

(PLUS 2.6)

(PLUS 2.8)



							LOEDING
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
DACE	26x2.8	70-559	60TPI	910	15-35	1.1-2.4	PO2628001
RACE	27.5x2.8	70-584	60TPI	960	15-35	1.1-2.4	PO2752801
E DIKE EO	26x2.8	70-559	60TPI	1200	20-45	1.4-3.1	E50P26281
E BIKE-50	27.5x2.8	70-584	60TPI	1250	20-45	1.4-3.1	E50P27528

							RIGID
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
	20x2.6	66-406	33TPI	690	15-35	1.1-2.4	E25P20261
	20x2.8	70-406	33TPI	740	15-35	1.1-2.4	E25P20281
E BIKE-25	24x2.8	70-507	33TPI	930	15-35	1.1-2.4	E25P24281
	26x2.8	70-559	33TPI	1020	15-35	1.1-2.4	E25P26281
	27.5x2.8	70-584	33TPI	1065	15-35	1.1-2.4	E25P27528

TRANSFORMERS

An all terrain design by using many small knobs obtains the comfortable ride and smooth handle control. Also the design of holes in center of each knob is designed give more contact area with road surface to earn the best traction.

PLUS 2.8

(PLUS 3.0)

EOI DING



IA-2569						FOLDING
CLASS	SIZE	CASING	WEIGHT	PSI	BAR	PART NO.
RACE	27.5x2.8	60TPI	780	15-35	1.1-2.4	TR2752801
- NACE	29x3.0	60TPI	905	15-30	1.1-2.1	TR2930001





Aluminum studs with tungsten carbide pins

PATTERN								FOLDING
PATTERIN	SIZE	ETRTO	CASING(TPI)	WEIGHT	PSI	BAR	STUDES	PART NO.
IA-2901	26x2.10	54-559	60TPI	810g	35-65	2.4-4.5	268	IT2621001
IA-2902	700x38C	40/44-622	60TPI	600g	50-75	3.4-5.1	110	WR7003801
IA-2572	29x2.10	54-622	60TPI	815g	35-65	2.4-4.5	184	ITII292101
IA-2572	27.5x2.10	54-584	60TPI	765g	35-65	2.4-4.5	184	ITII275211
IA-2573	29x2.10	54-622	60TPI	815g	35-65	2.4-4.5	300	WRII292101
IA-2570	26x2.35	58-559	60TPI	820g	35-65	2.4-4.5	312	DH2623501
IA-2570	27.5x2.35	58-584	60TPI	870g	35-65	2.4-4.5	324	DH2752351
	IA-2902 IA-2572 IA-2572 IA-2573 IA-2570	IA-2902 700x38C IA-2572 29x2.10 IA-2572 27.5x2.10 IA-2573 29x2.10 IA-2570 26x2.35	IA-2902 700x38C 40/44-622 IA-2572 29x2.10 54-622 IA-2572 27.5x2.10 54-584 IA-2573 29x2.10 54-622 IA-2570 26x2.35 58-559	IA-2902 700x38C 40/44-622 60TPI IA-2572 29x2.10 54-622 60TPI IA-2572 27.5x2.10 54-584 60TPI IA-2573 29x2.10 54-622 60TPI IA-2570 26x2.35 58-559 60TPI	IA-2902 700x38C 40/44-622 60TPI 600g IA-2572 29x2.10 54-622 60TPI 815g IA-2572 27.5x2.10 54-584 60TPI 765g IA-2573 29x2.10 54-622 60TPI 815g IA-2570 26x2.35 58-559 60TPI 820g	IA-2902 700x38C 40/44-622 60TPI 600g 50-75 IA-2572 29x2.10 54-622 60TPI 815g 35-65 IA-2572 27.5x2.10 54-584 60TPI 765g 35-65 IA-2573 29x2.10 54-622 60TPI 815g 35-65 IA-2570 26x2.35 58-559 60TPI 820g 35-65	IA-2902 700x38C 40/44-622 60TPI 600g 50-75 3.4-5.1 IA-2572 29x2.10 54-622 60TPI 815g 35-65 2.4-4.5 IA-2572 27.5x2.10 54-584 60TPI 765g 35-65 2.4-4.5 IA-2573 29x2.10 54-622 60TPI 815g 35-65 2.4-4.5 IA-2570 26x2.35 58-559 60TPI 820g 35-65 2.4-4.5	IA-2902 700x38C 40/44-622 60TPI 600g 50-75 3.4-5.1 110 IA-2572 29x2.10 54-622 60TPI 815g 35-65 2.4-4.5 184 IA-2572 27.5x2.10 54-584 60TPI 765g 35-65 2.4-4.5 184 IA-2573 29x2.10 54-622 60TPI 815g 35-65 2.4-4.5 300 IA-2570 26x2.35 58-559 60TPI 820g 35-65 2.4-4.5 312



Steel studs with tungsten carbide pins



Steel studs with tungsten carbide pins

								FOLDING
PATTERN	SIZE	ETRTO	CASING(TPI)	WEIGHT	PSI	BAR	STUDES	PART NO.
IA-2901	26x2.10	54-559	33ТРІ	870g	35-65	2.4-4.5	268	ITS262101
IA-2902	700x38C	40/44-622	33TPI	645g	50-75	3.4-5.1	110	WRS700381
IA-2572	29x2.10	54-622	33ТРІ	885g	35-65	2.4-4.5	184	ITIIS29211
IA-2572	27.5x2.10	54-584	33ТРІ	820g	35-65	2.4-4.5	184	ITIIS27521
IA-2573	29x2.10	54-622	33ТРІ	885g	35-65	2.4-4.5	300	WRIIS29211
IA-2570	26x2.35	58-559	33TPI	880g	35-65	2.4-4.5	312	DHS262351
IA-2570	27.5x2.35	58-584	33ТРІ	930g	35-65	2.4-4.5	324	DHS275235
	IA-2901 IA-2902 IA-2572 IA-2572 IA-2573 IA-2570	IA-2901 26x2.10 IA-2902 700x38C IA-2572 29x2.10 IA-2572 27.5x2.10 IA-2573 29x2.10 IA-2570 26x2.35	IA-2901 26x2.10 54-559 IA-2902 700x38C 40/44-622 IA-2572 29x2.10 54-622 IA-2572 27.5x2.10 54-584 IA-2573 29x2.10 54-622 IA-2570 26x2.35 58-559	IA-2901 26x2.10 54-559 33TPI IA-2902 700x38C 40/44-622 33TPI IA-2572 29x2.10 54-622 33TPI IA-2572 27.5x2.10 54-584 33TPI IA-2573 29x2.10 54-622 33TPI IA-2570 26x2.35 58-559 33TPI	IA-2901 26x2.10 54-559 33TPI 870g IA-2902 700x38C 40/44-622 33TPI 645g IA-2572 29x2.10 54-622 33TPI 885g IA-2572 27.5x2.10 54-584 33TPI 820g IA-2573 29x2.10 54-622 33TPI 885g IA-2570 26x2.35 58-559 33TPI 880g	IA-2901 26x2.10 54-559 33TPI 870g 35-65 IA-2902 700x38C 40/44-622 33TPI 645g 50-75 IA-2572 29x2.10 54-622 33TPI 885g 35-65 IA-2572 27.5x2.10 54-584 33TPI 820g 35-65 IA-2573 29x2.10 54-622 33TPI 885g 35-65 IA-2570 26x2.35 58-559 33TPI 880g 35-65	IA-2901 26x2.10 54-559 33TPI 870g 35-65 2.4-4.5 IA-2902 700x38C 40/44-622 33TPI 645g 50-75 3.4-5.1 IA-2572 29x2.10 54-622 33TPI 885g 35-65 2.4-4.5 IA-2572 27.5x2.10 54-584 33TPI 820g 35-65 2.4-4.5 IA-2573 29x2.10 54-622 33TPI 885g 35-65 2.4-4.5 IA-2570 26x2.35 58-559 33TPI 880g 35-65 2.4-4.5	IA-2901 26x2.10 54-559 33TPI 870g 35-65 2.4-4.5 268 IA-2902 700x38C 40/44-622 33TPI 645g 50-75 3.4-5.1 110 IA-2572 29x2.10 54-622 33TPI 885g 35-65 2.4-4.5 184 IA-2572 27.5x2.10 54-584 33TPI 820g 35-65 2.4-4.5 184 IA-2573 29x2.10 54-622 33TPI 885g 35-65 2.4-4.5 300 IA-2570 26x2.35 58-559 33TPI 880g 35-65 2.4-4.5 312







THE BIG	THE BIG SLICK(TBS) IB-3009										
SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	BEAD				
20x2.3	58-406	60TPI	595	110	7.6	TBS202301	FOLDING				
20x2.3	58-406	60TPI	645	110	7.6	TBS202302	RIGID				
20x2.4	60-406	60TPI	710	110	7.6	TBS202401	FOLDING				
20x2.4	60-406	60ТРІ	770	110	7.6	TBS202402	RIGID				

J-BOX IB-2005

SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	BEAD
20x2.2	56-406	60TPI	425	60-110	4.2-7.8	JB2022001	FOLDING

WHIPLASH IA-2248

SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	BEAD
20x2.0	50-406	60TPI	500	110	7.6	WH2020001	FOLDING
20x2.0	50-406	60TPI	550	110	7.6	WH2020002	RIGID
20x2.25	58-406	60TPI	595	110	7.6	WH2022501	FOLDING
20x2.25	58-406	60TPI	645	110	7.6	WH2022502	RIGID

TAILWHIP IA-2249

SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	BEAD
20x2.125	54-406	60TPI	520	110	7.6	TA2021251	FOLDING
20x2.125	54-406	60TPI	575	110	7.6	TA2021252	RIGID

MIMOSA IA-2128

SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	BEAD
20x2.0	50-406	60TPI	455	110	7.6	MI2020001	FOLDING
20x2.0	50-406	60TPI	505	110	7.6	MI2020002	RIGID
20x2.20	56-406	60TPI	485	110	7.6	MI2022001	FOLDING
20x2.20	56-406	60TPI	535	110	7.6	MI2022002	RIGID
20x2.30	58-406	60TPI	540	110	7.6	MI2023001	FOLDING
20x2.30	58-406	60TPI	600	110	7.6	MI2023002	RIGID
20x2.40	60-406	60TPI	650	110	7.6	MI2024001	RIGID

ACCESSORIES

TANA.

PRO Tires Package









0.8mm Ulite Tubes

- > 700C Tubes
- ≥ 26" Tubes
- **27.5" Tubes**
- ▶ 29" Tubes



FIXED GEAR

SMOOTHE

>700X23C >700X25C

STAYING POWER

- >700X28C
- >700X32C
- >700X35C



