

## **ABOUT INNOVA**

Innova Rubber Co., Ltd. was founded in 1995, headquarters in Changhua, Taiwan; factories at Taiwan and China, mainly producing bicycle tires; wheelchair tires; baby stroller tires and all kinds of leisure race tires such as ATV tires; golf cart tires; motocross tires and others.

The company aims to focus on the creation of innovation ,thepursuit of quality and customer satisfaction.

Innova has an excellent R&D team and strong production bases in Taiwan and China. Our factories are all awarded ISO-9001 certification to ensure the production of the best tires/tubes and to deliver the best quality to the final consumers for the trust of customers.

Innova, pursuit of innovation is a never-ending effort, has developed a number of global patents including the new patterns, new tire structures, as well as new products.

We believe our constantly improvement in product quality and customer service will eventually make Innova become a household name synonymous with quality and value.







# **CONTENT**

NNOVA ESG	P03	GRAVEL Gravel / BOOT
PU TUBE	P05	E-GRAVEL / EL C Gravel / Stam Gravel / El Ca
OAD OC TR/TL/TT / GLIDE OC TR / DASH	P09 P10	ONAVEL / EL GA
OM TECH / CASTOR OM TECH / FACEMILE	P12	
OC / NUNKI OC / HADAR	P13	CITY / TRE CITY / ROADRUI E-CITY / ALTA
-CARGO (SCARGO / MULA	P16	E-CITY / WAND E-CITY / OUTPO E-CITY / MAKAI
-MTR / MTR		E-CITY / ATRIA

# E-MTB / MTB

E-MTB / LOAM WIZARD	P18
E-MTB / <b>Javelin</b>	P19
E-MTB / <b>PODIUM</b>	P20
MTB / BUTTE	P21
MTB / X BOBCAT	P22
MTB / X MUSTANG	P23
ULTRA LIGHT / X BOBCAT	P24
MTB-DH / <b>SCHIST</b>	P25

GRAVEL / BOOTLEGGER	P2
E-GRAVEL / EL CAMINO II	P2
GRAVEL / STAMPEDE	P2
GRAVEL / FL CAMINO	DЗ

### SNOW

SNOW	/	ICE TRACKER	P44
SNOW	/	ICE TRACKER II	P44
SNOW	/	WIN RIDER	P44
SNOW	/	WIN RIDER II	P44
SNOW	/	DH MONSTER	P44

# 0

### ITY / TREKKING / TOUR

CITY / ROADRUNNER	P32
E-CITY / ALTA	P33
E-CITY / WANDERER	P34
E-CITY / OUTPOST	P35
E-CITY / MAKARORA	P36
E-CITY / ATRIA	P37
E-CITY / WANDERLUST	P38

### BMX

ועוט	/\	
BMX /	J-BOX	P46
BMX /	THE BIG SLICK(TBS)	P46
BMX /	WHIPLSAS	P46
BMX /	TAILWHIP	P46
BMX /	MIMOSA	P46











,	
FAT 4.0 & 4.8 / GOSSAN	P39
FAT 4.0 & PLUS3.0 / GNEISS	P40
PLUS 2.6 & 2.8 / <b>PODIUM</b>	P4
PLUS 2.8 & 3.0 / TRANSFORMERS	P4:

# INNOVAESG







# **Environmentally friendly energy use**

The use of solar power generation equipment on the factory roof can generate approximately 4.3 million kilowatt-hours of power for self-use every year, thus reducing the use of other energy sources in China factory.







### Reduced gas emissions

INNOVA uses natural gas instead of heavy oil combustion, and the boiler carbon dioxide emissions can save 80 kg/ton per ton of steam in Taiwan and China factory.







# Restore a large number of trees and sustainable organisms

Actively restore trees in the factory area to reduce carbon dioxide emissions in China







### **Material recycling**

INNOVA use recycled fishing nets to make tire casing + recycled carbon black + recycled rubber + carbon black-free formula in Taiwan and China factory .





# **Energy-saving ventilation equipment**

INNOVA uses environmentally friendly ventilation equipment for rest and standby, which can save 17% of electricity every month in Taiwan and China factory.







# Production equipment energy-saving system

Extruders, air compressors, and other related equipment in the factory all use variable frequency voltage systems, which can save about 50% of electricity every month in Taiwan and China factory.



0.3

# INNOVA-PRO



ININO VA-PRO TPU 20X1.75/2.5 47/64-406 MADE IN TAIWAN TAKE?0001



### INNOVA TPU TUBE TECHNOLOGY

INNOVA CREATES TWO DIFFERENT TYPE TPU TUBES:

**★ EXTRUSION TYPE FOR ROAD/GRAVEL/MOUNTAIN BIKE TIRES** 

\* SHEET TYPE IS FOR PLUS AND FAT TIRES

### TPU Tubes Provide Those Advantages Including:

- LIGHTER WEIGHT: 60% LIGHTER THAN BUTYL TUBE
- SMALLER VOLUME: 50% VOLUME OF BUTYL TUBE
- BETTER ANTI-PUNCTURE: 5 TIME STRONGER AT THE SAME THICKNESS
- BETTER AIR HOLDING: 4 TIMES BETTER AT THE SAME THICKNESS
- **BETTER SAFETY: 5 TIMES STROGER SPLICE STRENGTH**
- 100% RECYCLE





TPU tubes are the new generation to help the earth better and also up-grade the tube quality to make bike lighter.

- Much friendly to environment.
- More performances.
- Much safety

Sizes	Vales	Weight ± 5%(g)	PART NO.
700X18/28C (18/28-622)	SV48	42	TPU622F101
700X18/28C (18/28-622)	SV60	43	TPU622F201
700X25/35C (25/35-622)	SV48	57	TPU622F102
700X25/35C (25/35-622)	SV60	58	TPU622F202
700X38/52C (38/52-622)	SV48	81	TPU622F103
700X38/52C (38/52-622)	SV60	83	TPU622F203
29X1.75/2.5 (47/64-622)	SV48	85	TPU622F104
27.5X1.75/2.5 (47/64-584)	SV48	81	TPU584F101
26X1.75/2.5 (47/64-559)	SV48	79	TPU559F101
20X1.75/2.5 (47/64-406)	SV48	61	TPU406F101
29X1.75/2.5 (47/64-622)	SV60	85	TPU622F200

# ANTI PUNCTURE

Innova protection system for puncture & cut proof













### **CLASS**



TUBELESS READY tires can be used as regular tire with tube inside but also can be used as tubeless tire by adding sealant inside. Tubeless ready has similar function as UST tire but owns double functions of excellent puncture resistance and lighterweight for superior rolling as well as handling performance. Adding sealant is necessary.



TEAM is the most high end tires that Innova pro produces for competition. The feature of Team is designed by using 120 tpi casing with foldable Kevlar bead for most light weight and special tread compound gives highest performance tires.



RACE tires is these excellent tire that Innova pro design for Race and final training for competition. By using 60 tpi casing with foldable Kevlar bead, this class owns the features of light weight and powerful performance.



STANDARD tires is most economic tire with the rigid bead and 60tpi casing. It shows very even distribution of stress after inflation and gives pretty good uniformity as well as good tire life.



The function of Anti Snake Bite is designed by adding strongest fillers in the bead area to prevent the snake bite. The weight is added but perfectly suitable for those Down Hill tires requesting to free from snake bite.

### **CASING & BEAD**



Nylon 66 fabric with 60 threads per inch(tpi) which is designed for the race and training version.



Nylon 66 fabric with 120 threads per inch(tpi) which is designed for the race and training version.



Nylon 66 fabric with 180 threads per inch(tpi) which is designed for the race and training version.



FOLDING BEAD
Innova uses DuPont™ Kevlar® yarn
as the material of bead grommet.
This high quality material provides
the most light weight foldable tire
for team and race class.

# HIGH PERFORMANCE ROAD TIRE

# GLIDE IB-3029N

- ESB by using recycle fish net 120tpi casing
- Strongest Anti-Puncture by Kevlar Belt
- Longer life + high grip by high grip silica compound
- Smothy riding by glide pattern design

TL TUBELESS 120 TPI TR 120 TPI TUBELESS READY



<u> </u>	~ ~								FOLDING
CLASS	SIZE	ETRTO	CASING	WEIGHT	HOOKLESS(PSI)	HOOKLESS(BAR)	HOOKED(PSI)	HOOKED(BAR)	PART NO.
TL	700x25C	25-622	120TPI	400	Max.72	Max.5.0	90-110	6.2-7.5	RO7002501
(TUBELESS) KEVLAR BELT+	700x28C	28-622	120TPI	450	Max.72	Max.5.0	85-100	6.0-6.8	RO7002801
RUBBER LINER	700x30C	30-622	120TPI	480	Max.65	Max.4.5	80-95	5.5-6.5	RO7003001
TR	700x25C	25-622	120TPI	260	Max.72	Max.5.0	90-110	6.2-7.5	RO7002502
(TUBELESS READY)  KEVLAR BELT+	700x28C	28-622	120TPI	280	Max.72	Max.5.0	85-100	6.0-6.8	RO7002802
ANTI-LEAK LAYER	700x30C	30-622	120TPI	300	Max.65	Max.4.5	80-95	5.5-6.5	RO7003002
TT	700x25C	25-622	120TPI	225	*****	*****	90-110	4.8-7.5	RO7002503
120TPI + KEVLAR BELT	700x28C	28-622	120TPI	240	*****	*****	85-100	4.7-6.5	RO7002803
	700x30C	30-622	120TPI	260	*****	*****	80-95	3.8-5.5	RO7003003

# **DASH**

700x30C the wider road tire provides more comfort riding and lowerrolling resistance. The unique antled-cut tread works like a file, giving you excellent grip while keeping a fast and confidence surfaces. With slick center design, the smoother the faster.

# TUBELESS READY

TR 60 TUBELESS READY

TR 120 TUBELESS READY



### IB-3015N

CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
TR 60 -	700x25C	25-622	60TPI	TBA	90-110	6.2-7.5	DA7002501
(TUBELESS READY)	700x28C	28-622	60TPI	TBA	85-100	6.0-6.8	DA7002801
	700x30C	30-622	60TPI	369	70-90	4.9-6.2	DA7003001
TD 120	700x25C	25-622	120TPI	TBA	ТВА	ТВА	DA7002502
TR 120 = (TUBELESS READY)	700x28C	28-622	120TPI	TBA	TBA	TBA	DA7002802
Ī	700x30C	30-622	120TPI	342	70-90	4.9-6.2	DA7003002

09

FOLDING



### Low Rolling Resistance / Light Weight / Supple Riding / Faster Acceleration

**Z:** Zero degree nylon' belt is added under the tread to provide a super low rolling resistance.

**O:** Open tire profile to provide extremely high ride comfort.

**O:** Overlap dual new compounds to obtain best perfor mances of grip and life.

M: Mono-chafer: new chafer material helps to have the best adhesion and anti-leaking

Grip	****
Rolling Resistance	****
Acceleration	****
Comfort	****
Cornering	****

11

700 25C

- Super high quality tire that developed by the technology of "ZOOM" intending to compete with Tubular tire in competition.
- Made of 120Tpi casing with those following sizes of 23C/25C/27C.
- The air pressure can go up to 145 Psi.



						OLDING
SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
700x23C	23-622	120TPI	226	100-145	6.8-10.0	CA7002301
700x25C	25-622	120TPI	235	100-135	6.8-9.3	CA7002501
700x27C	27-622	120TPI	258	80-115	5.5-8.0	CA7002701







IA-2318 **FOLDING** CLASS SIZE ETRTO CASING WEIGHT BAR PART NO. PSI **700x23C** 23-622 120TPI 100-130 7.0-9.0 NU7002301 TEAM **700x25C** 25-622 120TPI 6.0-7.7 NU7002501 **700x28C** 28-622 120TPI TBA NU7002801 **700x23C** 23-622 60TPI 100-130 7.0-9.0 NU7002302 RACE **700x25C** 25-622 6.0-7.7 NU7002502 **700x28C** 28-622 60TPI TBA NU7002802



	171 201	I/ 2010									
	CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.			
		700x23C	23-622	120TPI	195	100-130	6.0-10.0	HA7002301			
	TEAM	700x25C	25-622	120TPI	224	86-100	6.0-9.0	HA7002501			
		700x28C	28-622	120TPI	247	60-100	6.0-7.5	HA7002801			
		700x23C	23-622	60TPI	212	100-130	6.0-10.0	HA7002302			
	RACE	700x25C	25-622	60TPI	241	86-100	6.0-9.0	HA7002502			
		700x28C	28-622	60TPI	274	60-100	6.0-7.5	HA7002802			

<sup>'</sup> 13



# E-CARGO

Special 6 ply tire construction not only increase the sidewall stiffness, but also provide enhance puncture protection.

# **MULA**

Mula is our newest Cargo specific bike tire. The casing structure and rubber compound is designed specifically for loaded towing. Specific inserts are used to prevent puncture and increase durability. The tread design utilize a continous center block ribbed section and a diamond shapped side knobs to allow for secure cornering and towing capability.

### INTENDED SURFACE

Bike path, sidewalks, unpaved path and gravel.





IB-3	027						RIGID
S	IZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
20x	2.40	62-406	60TPI	990	25-50	1.7-3.5	E50M20241
24x	2.40	62-507	60TPI	1235	25-50	1.7-3.5	E50M24241
26x	2.40	62-559	60TPI	1360	25-50	1.7-3.5	E50M26241
27.5	x2.40	62-584	60TPI	1420	25-50	1.7-3.5	E50M27524



# MB



# LOAM WIZARD

Designed for All Mountain and Enduro riding. On the uphill, the large center block provides improved climbing traction, and quick acceleration. The links between the center block makes the pattern block more stable under load and reduce squirming. The directional design on the tread allows for significant reductions in tire rolling resistance. The combination of aggressive arrangement of the blocks, open design and a simple V-slot located in the center and side blocks translate to direct and precise steering. It allow for a high efficient transfer of power to the ground while maintaining extreme durability.



EOI DINO

TR 60 TUBELESS READY



With Reflective Stripe /
Sport Guard-3.5mm+ Side Guard

B-	-3	n2	1	Ν

								FULDING
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	TAN SPEC.
RACE+TR	29x2.35	60-622	60TPI	828	35-65	2.4-4.5	LW2923501	LW2923501T
E BIKE-50+TR	29x2.35	60-622	60TPI	1025	25-50	1.7-3.5	E50L29235	E50L29235T

# **JAVELIN**

Designed as a leading off-road road conditions and ultra-endurance tires. The unwavering traction of the shoulder knobs, and the super handling when going downhill. This is the preferred tyre for our entire endurance team of endurance racers due to its unmatched traction on off-camber trails. The interspersed central pattern blocks can bite into the dirt in any wet or dry terrain while providing stability at any speed. The block are arranged in a way to ensure effective mud clearance. It can also be used as a rear tire on loose, steep terrain for its strong braking traction. It can also be used as a front tire for its cornering capability.

TR 60 TUBELESS READY



With Reflective Stripe /
Sport Guard-3.5mm+ Side Guard

IB-3022								FOLDING
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	TAN SPEC.
RACE+TR	29x2.35	60-622	60TPI	820	35-65	2.4-3.5	JA2923501	JA2923501T
E DIVE EO TD	20v2 25	60 622	60TDI	1020	25 50	1725	EE0120225	EEUIJOJJET

# **PODIUM**

27.5x2.6 PODIUM For fast E-bikes, Innova has designed the special tire construction and compound. The premium compound offers the dependability of excellent grip & high mileages and the construction of Sport Guard 3.5mm & Side Guard provides the superior puncture protection. It was certified with ECE-R75 and approved for vehicles, up to 50 km/h. An all terrain pattern design with the tubeless ready construction. Aggressive outlook plus the design of small lines insert into each knob give the tire powerful performances in riding.



TR 60 TUBELESS READY



With Reflective Stripe / Sport Guard-3.5mm+ Side Guard



	IB-3014N							FOLDING
	CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
	E BIKE-50+TR	27.5x2.60	66-584	60TPI	1345	20-45	1.4-3.1	PO2752601
	RACE+TR	27.5x2.60	66-584	60TPI	852	30-60	2.1-4.2	E50P27526
		26x2.25	58-559	60TPI	745	30-60	2.1-4.2	PO2622501
RACE	B ∧ ⊂ E	27.5x2.25	58-584	60TPI	768	35-65	2.4-4.5	PO2752251
	NACL	29x2.25	58-622	60TPI	816	35-65	2.4-4.5	PO2922501
		29x2.40	60-622	60TPI	833	35-65	2.4-4.5	PO2924001

# **BUTTE**

Pattern Design with separater knobs is good for mud performance. Tire is foldable and easy to carry. Suitable for use on road or hard soil territory.

TR 60 TUBELESS READY





### IB-3011

.5 55.1.									
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	TAN SPEC.	
RACE	27.5x2.25	58-584	60TPI	606	30-65	2.1-4.5	BU2752251	BU2752251T	
TR	29x2.25	58-622	60TPI	643	30-65	2.1-4.5	BU2922501	BU2922501T	

# X BOBCAT

The tread pattern is designed for multiple soil conditions. Low tread profile and high TPI casing give fast rolling and efficient.

RACE

TR 60 TUBELESS READY



CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
	26x2.10	54-559	60TPI	512	30-60	2.1-4.2	XB2621001
RACE	27.5x2.10	54-584	60TPI	602	30-60	2.1-4.2	XB2752101
	29x2.10	54-622	60TPI	647	30-60	2.1-4.2	XB2921001
RACE	27.5x2.10	54-584	60TPI	558	30-60	2.1-4.2	XB2752102
TR	29x2.10	54-622	60TPI	599	30-60	2.1-4.2	XB2921002



# **X MUSTANG**

Light-weight tread design allow maximum rolling efficiency. Suitable for road and hard terrian with few sand and samll rocks.

RACE



- 11	$\Box$	$\sim$	$\sim$	$\sim$	2
- 11	Ю-	_	u	( )	/

	IB-2002							FOLDING
	CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
	RACE	26x2.0	50-559	60TPI	491	35-70	2.5-5.0	XM2621001
	NACL	27.5x2.10	54-584	60TPI	537	35-70	2.4-4.8	XM2752101

MTB ULTRA LIGHT

# X BOBCAT

The tread pattern is designed for multiple soil conditions. Low tread profile and high TPI casing give fast rolling and efficient. Ultra light weight and foldable tire is easily to carry.

TEAM ULTRA LIGHT



**FOLDING** 

IB-2003L

CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
TEAM +	26x1.95	44-559	120TPI	318	30-60	2.1-4.2	XBL261951
	27.5x1.95	44-584	120TPI	324	30-60	2.1-4.2	XBL275195
ULTRA LIGHT	29x1.95	44-622	120TPI	355	30-60	2.1-4.2	XBL291951
	29x2.10	54-622	120TPI	428	30-60	2.1-4.2	XBL292101

# **SCHIST**

The tread pattern is designed for multiple soil conditions. Low tread profile and high TPI casing give fast rolling and efficient.





IB-3004

IB-3004						FOLDING
SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
26x2.50	62-559	60TPI	981	20-65	1.4-4.5	SH2625001
27.5x2.50	62-584	60TPI	1029	20-65	1.4-4.5	SH2752501
29x2.40	60-622	60TPI	1099	25-50	1.7-3.5	SH2924001


<sup>★</sup> With Snake Bite & Side Guard



# suited mixed terrain.

### **BOOTLEGGER** Bootlegger incorporate a semi slick concept to allow for fast rolling on pavement while maintaining grip when the trail get loose. It's best

RACE



# **EL CAMINO II**

The smooth tread center can roll very quickly on paved road. The diamond shaped intermediate transition tread make sure this tire won't be stopped by any rough roads and long detours.

It allow for strong confidence in any road condition, providing a smooth riding experience, and maintaining good handling on unpredictable terrain with the square pattern of the tread shoulder. Suitable for riders who want to relax themselves without a destination , just for the pleasure of riding.



RACE



With Reflective Stripe / Sport Guard-3.5mm



With Reflective Stripe / Sport Guard-3.5mm+ Side Guard IR-3018

10-3010								FOLDING
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	TAN SPEC.
RACE	700x38C	38-622	60TPI	401	50-75	3.4-5.1	EC7003801	EC7003801T
E BIKE-50+TR	700x38C	38-622	60TPI	730	35-65	2.4-4.5	E50E70038	E50E70038T
								RIGID
E BIKE-25	700x38C	38-622	33TPI	821	50-75	3.4-5.1	E25070038	E25070038T

# **STAMPEDE**

Gravel Tire but also works well for road condiction due to the high density knobs parrent design. Shoulder design with more convex knobs enhanced the grip for better turning performance and safety. Tire is foldable and easy to carry. Suitable for use on road or hard soil territory.

RACE



	IB-3010										
	CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.			
		26x1.50	40-559	60TPI	391	50-75	3.5-5.0	ST2615001			
	DAGE	700x40C	40-622	60TPI	441	50-75	3.5-5.0	ST7004001			
RACE	700x45C	45-622	60TPI	465	50-75	3.5-5.0	ST7004501				
		700x50C	60-622	60TPI	495	50-75	3.5-5.0	ST7005001			

# **EL CAMINO**

For a gravel tire, you want a tire that is able to cover riding on variety of different surfaces and conditions. The tire should provide grip while rolling smoothly. This is exactly what the tire is able to do. You will find it to perform well on paved roads but it really shine on unpaved roads and gravel. Riding on dry conditions light trails is also a lot of fun. For slightly more muddy conditions the aggressive side knobs maintain the traction effectively. The smooth ride and good grip let you enjoy every meter of your commutes and rides.



RACE

IB-3016								FOLDING
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	TAN SPEC.
	26x1.75	47-559	60TPI	435	30-55	2.1-3.8	EC2617501	EC2617501T
RACE	700x45C(29x1.75)	45-622	60TPI	571	30-60	2.0-4.1	EC7004501	EC7004501T
	650Bx47C	47-584	60TPI	571	55	2.1-3.8	EC6504701	EC6504701T



E-BIKE

RACE

F-50
With Reflective Stripe
Sport Guard-3.5mm
+ Side Guard



**ROADRUNNER** 

TRoadrunner is our newest Trekking / Touring specific tire. The unique tire tread incorporate directional siping to improve traction in the wet. We also added honeycomb sidewall pattern increase abrasion resistence.





R-	30	12:	3	
_	υu		,	

CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
RACE	26x1.75	47-559	60	TBA	30-60	2.1-4.1	RO2617501
NACE	700x45C	45-622	60	TBA	30-60	2.1-4.1	RO7004501

**FOLDING** 

# ALTA

The fastest touring / ebike tire Innova has made to date. This tire has the lowest rolling resistance of all touring tires. We used a new type rubber compound and casing construction to improve on the mileage of ebikes. This is culmination of our years of experiece in touring / ebike tire design, which lead to a true workhorse in this category.





With Reflective Stripe / Sport Guard-3.5mm

**5** E-50

With Reflective Stripe /
Sport Guard-3.5mm+ Side Guard

IB-3025	IB-3025										
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.				
RACE	29x1.75	45-622	60TPI	615	35-65	2.4-4.5	AL2917501				
E BIKE-50	29x1.75	45-622	60TPI	730	35-65	2.4-4.5	E50A29175				
							RIGID				
E BIKE-25	29x1.75	45-622	33TPI	1060	35-65	2.4-4.5	E25A29175				

# **WANDERER**

Wanderer is a modern dynamic touring tire. The center tread is smooth and side knobdesigned for nimble handlng. The tread allow for fast rolling on pavement, while maintain superior traction on unpaved path. New high tech compound is used to optimize this tire to have superior durability at high speed and low rolling resistence.



With Reflective Stripe / Sport Guard-3.5mm



With Reflective Stripe / Sport Guard-3.5mm+ Side Guard



10 0020							FOLDING
CLASS	S SIZE ETRTO		CASING WEIGHT		PSI BAR		PART NO.
RACE	29x2.15	55-622	60TPI	695	30-60	2.0-4.1	WA2921501
E BIKE-50	29x2.15	55-622	60TPI	760	30-60	2.0-4.1	E50W29215
							RIGID
E BIKE-25	29x2.15	55-622	33TPI	1245	30-60	2.0-4.1	E25W29215

# **OUTPOST**

The continuous straight tread pattern in the center allows for a lower rolling resistance for charging down the straights, while a bi-textured surface designs on the sides treads are used to improve the handling in cornering. Built for the mixed pavement and light gravel

RACE

**5** E-25

With Reflective Stripe /

**5** E-50

With Reflective Stripe

Sport Guard-3.5mm+ Side Guard

Sport Guard-3.5mm



IB-3019

CLASS SIZE CASING WEIGHT PART NO. TAN SPEC. BAR 700x35C 35-622 60TPI 3.8-5.5 OU7003501 OU7003501T 38-622 60TPI 3.4-5.1 OU7003801 OU7003801T 700x38C RACE 26x2.0 50-559 60TPI 2.4-4.5 OU2620001 OU2620001T 54-584 27.5x2.10 60TPI 2.1-4.1 OU7003801 OU7003801T 700x38C 38-622 60TPI 50-75 3.4-5.1 E50070038 E50070038T E BIKE-50 54-584 30-60 2.1-4.1 E50027521 E50027521T 27.5x2.10 60TPI RIGID 700x38C 38-622 33TPI 50-75 3.5-5.0 E25070038 E25070038T E BIKE-25

54-584

33TPI

27.5x2.10

**MAKARORA** 

Featuring an ultra-dynamic large bevel profile with a smooth center section and a sturdy diamond side tread. Even on unpaved gravel road, it can roll easily on the road and have maintain strong grip. The specially optimized design provides maximum durability, low rolling resistance and excellent gripeven at high speeds.





With Reflective Stripe / Sport Guard-3.5mm



With Reflective Stripe / Sport Guard-3.5mm+ Side Guard



CASING WEIGHT CLASS RACE 42-622 MA7004201 MA7004201T 700x42C E BIKE-50 700x42C 42-622 60TP E50M70042 E50M70042T

RIGID E BIKE-25 700x42C 42-622 33TPI 50-75 3.4-5.1 E25M70042 E25M70042T

35-65 2.1-4.5 E25027521 E25027521T

# **ATRIA**

TEAM

RACE

**5** E-25

With Reflective Stripe
/ Sport Guard-3.5mm



.,, 2002							FOLDING
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
TEAM	26x2.0	50-559	120TPI	405	35-65	2.4-4.5	AT2620001
	26x2.0	50-559	60TPI	441	35-65	2.4-4.5	AT2620002
	27.5x2.0	50-584	60TPI	498	30-60	2.1-4.2	AT2752001
RACE	700x32C	32-622	60TPI	359	60-90	4.1-6.5	AT7003201
NACL	700x35C	37-622	60TPI	389	50-90	3.4-6.2	AT7003501
	700x38C	40-622	60TPI	439	50-90	3.4-6.2	AT7003801
	700x44C	44-622	60TPI	479	40-70	2.8-4.9	AT7004401

							RIGID
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
F BIKF-25 —	700x38C	40-622	33TPI	TBA	50-80	3.5-5.5	E25A700381
E DINE-23	700x44C	44-622	33TPI	TBA	45-80	3.1-5.5	E25A700441

# **WANDERLUST**

TEAM

RACE



With Reflective Stripe /
Sport Guard-3.5mm+ Side Guard



With Reflective Stripe
/ Sport Guard-3.5mm



15 0010								FOLDING
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	TAN SPEC.
	26x1.75	47-559	120TPI	404	40-65	2.8-4.5	WA2617501	WA2617501T
TEAM	27.5x1.75	47-584	120TPI	424	40-65	2.4-4.5	WA2751751	WA2751751T
	29x1.75	47-622	120TPI	449	40-65	2.4-4.5	WA2917501	WA2917501T
RACE	700x38C	38-622	60TPI	431	50-75	3.5-5.0	WA7003801	WA7003801T
E BIKE-50	700x38C	38-622	60TPI	TBA	50-75	3.5-5.0	E50W70038	E50W70038T
								RIGID
E BIKE-25	700x38C	38-622	33TPI	860	50-75	3.5-5.0	E25W70038	E25W70038T

TREKKING TOURING

CITY

# FAT 4.0/4.8

# **GOSSAN**

The new particle pattern design is with great center pieces and low knobbles. It is good for both on road and off road condiction. Very good grip for off road and very stable for turning.

RACE

FAT 4.0

FAT 4.8



LV-1008						FOLDING
CLASS	SIZE	CASING	WEIGHT	PSI	BAR	PART NO.
RACE	26x4.0	60TPI	1065	5-15	0.4-1.1	GO2640001
NACE	26x4.8	60TPI	1305	MAX30	2.1	G02648001

# **GNEISS**

Dense central knobs to get an excellent performance of easy rolling and comfort ride; the tread shoulder area is designed with loose knobs to earn great traction in cornering as well as steady handling.

PLUS 3.0

FAT 4.0



LV-1003						<b>FOLDING</b>
CLASS	SIZE	CASING	WEIGHT	PSI	BAR	PART NO.
TEAM	27.5x3.0	120TPI	865	15-30	1.1-2.1	GN2753001
RACE	26x4.0	60TPI	1255	5-15	0.4-1.1	GN2640001

 $_{3}$ 

# **PODIUM**

The premium compound offers the dependability of excellent grip & high mileages and the construction of Sport Guard 3.5mm & Side Guard provides the superior puncture protection. It was certified with ECE-R75 and approved for vehicles, up to 50 km/h. An all terrain pattern design with the tubeless ready construction. Aggressive outlook plus the design of small lines insert into each knob give the tire powerful performances in riding.

PLUS 2.6

(PLUS 2.8)





							I OLD II I G
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
RACE	26x2.8	70-559	60TPI	910	15-35	1.1-2.4	PO2628001
	27.5x2.8	70-584	60TPI	960	15-35	1.1-2.4	PO2752801
E BIKE-50	26x2.8	70-559	60TPI	1200	20-45	1.4-3.1	E50P26281
	27.5x2.8	70-584	60TPI	1250	20-45	1.4-3.1	F50P27528


							RIGID
CLASS	SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.
E BIKE-25	20x2.6	66-406	33TPI	690	15-35	1.1-2.4	E25P20261
	20x2.8	70-406	33TPI	740	15-35	1.1-2.4	E25P20281
	24x2.8	70-507	33TPI	930	15-35	1.1-2.4	E25P24281
	26x2.8	70-559	33TPI	1020	15-35	1.1-2.4	E25P26281
	27.5x2.8	70-584	33TPI	1065	15-35	1.1-2.4	E25P27528

**TRANSFORMERS** 

An all terrain design by using many small knobs obtains the comfortable ride and smooth handle control. Also the design of holes in center of each knob is designed give more contact area with road surface to earn the best traction.

(PLUS 2.8)

(PLUS 3.0)



IA-2569						<b>FOLDING</b>
CLASS	SIZE	CASING	WEIGHT	PSI	BAR	PART NO.
RACE	27.5x2.8	60TPI	780	15-35	1.1-2.4	TR2752801
NACL	29x3.0	60TPI	905	15-30	1.1-2.1	TR2930001





Aluminum studs with tungsten carbide pins



### Aluminum studs with tungsten carbide pins

									FOLDING
NAME	PATTERN	SIZE	ETRTO	CASING(TPI)	WEIGHT	PSI	BAR	STUDES	PART NO.
ICE TRACKER	IA-2901	26x2.10	54-559	60TPI	810g	35-65	2.4-4.5	268	IT2621001
WIN RIDER	IA-2902	700x38C	40/44-622	60TPI	600g	50-75	3.4-5.1	110	WR7003801
ICE TRACKER II	IA-2572	29x2.10	54-622	60TPI	815g	35-65	2.4-4.5	184	ITII292101
ICE TRACKER #	IA-2572	27.5x2.10	54-584	60TPI	765g	35-65	2.4-4.5	184	ITII275211
WIN-RIDER <i>Ⅲ</i>	IA-2573	29x2.10	54-622	60TPI	815g	35-65	2.4-4.5	300	WRII292101
DH MONSTER	IA-2570	26x2.35	58-559	60TPI	820g	35-65	2.4-4.5	312	DH2623501
DH MONSTER	IA-2570	27.5x2.35	58-584	60TPI	870g	35-65	2.4-4.5	324	DH2752351



Steel studs with tungsten carbide pins



### Steel studs with tungsten carbide pins

	•		•						FOLDING
NAME	PATTERN	SIZE	ETRTO	CASING(TPI)	WEIGHT	PSI	BAR	STUDES	PART NO.
ICE TRACKER	IA-2901	26x2.10	54-559	33TPI	870g	35-65	2.4-4.5	268	ITS262101
WIN RIDER	IA-2902	700x38C	40/44-622	33TPI	645g	50-75	3.4-5.1	110	WRS700381
ICE TRACKER II	IA-2572	29x2.10	54-622	33TPI	885g	35-65	2.4-4.5	184	ITIIS29211
ICE TRACKER II	IA-2572	27.5x2.10	54-584	33TPI	820g	35-65	2.4-4.5	184	ITIIS27521
WIN-RIDER <i>Ⅲ</i>	IA-2573	29x2.10	54-622	33TPI	885g	35-65	2.4-4.5	300	WRIIS29211
DH MONSTER	IA-2570	26x2.35	58-559	33TPI	880g	35-65	2.4-4.5	312	DHS262351
DH MONSTER	IA-2570	27.5x2.35	58-584	33TPI	930g	35-65	2.4-4.5	324	DHS275235





### THE BIG SLICK(TBS) IB-3009

SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	BEAD
20x2.3	58-406	60TPI	595	110	7.6	TBS202301	FOLDING
20x2.3	58-406	60TPI	645	110	7.6	TBS202302	RIGID
20x2.4	60-406	60TPI	710	110	7.6	TBS202401	FOLDING
20x2.4	60-406	60TPI	770	110	7.6	TBS202402	RIGID

### J-BOX IB-2005

SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	BEAD
20x2.2	56-406	60TPI	425	60-110	4.2-7.8	JB2022001	FOLDING

### WHIPLASH IA-2248

SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	BEAD
20x2.0	50-406	60TPI	500	110	7.6	WH2020001	FOLDING
20x2.0	50-406	60TPI	550	110	7.6	WH2020002	RIGID
20x2.25	58-406	60TPI	595	110	7.6	WH2022501	FOLDING
20x2.25	58-406	60TPI	645	110	7.6	WH2022502	RIGID

### TAILWHIP IA-2249

BEAD	PART NO.	BAR	PSI	WEIGHT	CASING	ETRTO	SIZE
FOLDING	TA2021251	7.6	110	520	60TPI	54-406	20x2.125
RIGID	TA2021252	7.6	110	575	60TPI	54-406	20x2.125

### MIMOSA IA-2128

SIZE	ETRTO	CASING	WEIGHT	PSI	BAR	PART NO.	BEAD
20x2.0	50-406	60TPI	455	110	7.6	MI2020001	FOLDING
20x2.0	50-406	60TPI	505	110	7.6	MI2020002	RIGID
20x2.20	56-406	60TPI	485	110	7.6	MI2022001	FOLDING
20x2.20	56-406	60TPI	535	110	7.6	MI2022002	RIGID
20x2.30	58-406	60TPI	540	110	7.6	MI2023001	FOLDING
20x2.30	58-406	60TPI	600	110	7.6	MI2023002	RIGID
20x2.40	60-406	60TPI	650	110	7.6	MI2024001	RIGID

# PRO Tires Package



# 0.8mm Ulite Tubes

- > 700C Tubes
- ▶ 26" Tubes
- **27.5" Tubes**
- > 29" Tubes



# FIXED GEAR



> 700X23C > 700X25C HATCHET

- >700X28C
- >700X32C
- >700X35C



